

# BOOST YOUR PRODUCTIVITY

Enjoy the versatility within one machine







## **Productivity that keeps going**



#### High print speed

Get your work out efficiently with up to 34ppm, fast warm-up and first page-out of less than 8.5s

\*Some features available on selected models only.



### Tailored to what you need

Choose from our range of printers that caters to your business needs. Plus, streamline your workflows with convenient features such as Mobile Printing, Wi-Fi Direct and NFC.

## RELIABLE & SUSTAINABLE WORKFLOW

Take your green practices a step further with Brother's Monochrome Laser Range.





## Double the print, half the paper

Automatic duplex printing uses up to 50% less paper.



#### Quiet as a whisper

Reduce noise and energy consumption with Quiet Mode.



## Less reloads reduced waste

Lower your usage by optimising the resolution for less toner reloads — thus cutting down the amount of plastics used.



## A more efficient use of resources

Maximise every sheet of paper with N-in-1 printing giving you up to 4 pages per side.

## Streamlined connectivity

Streamline your workflows with the Brother Mobile Connect app. Print, scan and copy even on the go\*, through added integration with apps on Android and Apple devices.

Plus, enjoy cross-platform compatibility to various cloud services including OneDrive, Google Drive, SharePoint and OneNote.



#### **Brother Mobile Connect App**

Print, scan and monitor toner levels anywhere\* via your mobile device.



### **AirPrint**®

Wirelessly print from AirPrint-enabled devices\* connected to the same network segment as your printer. Compatible with Mac, iPhone and iPad.



### Mopria<sup>®</sup> Print

Wirelessly print directly from any supported Android™ device that's connected to the same network segment as the printer.



				Pres Cities	-
Key Function	DCP-L2600D Print, Scan and Copy	DCP-L2625DW Print, Scan and Copy	DCP-L2640DW Print, Scan and Copy	MFC-L2805DW Print, Scan, Copy and Fax	MFC-L2885DW Print, Scan, Copy and Fax
Print Speed (A4/Letter) Print Resolution	Up to 34/36 ppm Up to 1,200 x 1,200 dpi	Up to 34/36 ppm Up to 1,200 x 1,200 dpi	Up to 34/36 ppm Up to 1,200 x 1,200 dpi	Up to 34/36 ppm Up to 1,200 x 1,200 dpi	Up to 34/36 ppm Up to 1,200 x 1,200 dpi
First Print Out Time	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs
(Ready) 2-sided Feature	Yes	Yes	Yes	Yes	Yes
Copy Functions Copy Speed (A4/Letter)	Up to 34/36 cpm	Up to 34/36 cpm	Up to 34/36 cpm	Up to 34/36 cpm	Up to 34/36 cpm
Copy Resolution	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Reduction/ Enlargement Ratio	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments	25% - 400% in 1% increments
Copy Features Scan Functions	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1	Multi Copy: Sort/Stack, N in 1
Scan Speed (Mono/Colour) <sup>i</sup>	NA	NA	22.5/7.5 ipm	22.5/7.5 ipm	22.5/7.5 ipm
Scanner (Method) Resolution	CIS Max 1,200 x 1,200 dpi/	CIS Max 1,200 x 1,200 dpi/	CIS Max 1,200 x 1,200 dpi/	CIS Max 1,200 x 1,200 dpi/	Dual CIS Max 1,200 x 1,200 dpi/
(Optical/Interpolated)	Max. 19,200 x 19,200 dpi	Max. 19,200 x 19,200 dpi	Max. 19,200 x 19,200 dpi	Max. 19,200 x 19,200 dpi	Max. 19,200 x 19,200 dpi Sharepoint (Windows only), E-mail,
Scan To Functions	Sharepoint (Windows only), E-mail, Image, OCR, File,	Sharepoint (Windows only), E-mail, Image, OCR, File	Sharepoint (Windows only), E-mail, Image, OCR, File, FTP, FTPS	Sharepoint (Windows only), E-mail, E-mail Server, Image, OCR, File, FTP, FTPS	E-mail Server, Network, Image, OCR, File, FTP, FTPS, Https
Fax Functions Modem Speed	NA	NA	NA	33,600bps (Fax)	33,600bps (Fax)
Transmission Speed	NA	NA	NA	Approx. 2.5sec. (ITU-T Test Chart, Std resolution, JBIG)	Approx. 2.5sec. (ITU-T Test Chart, Std resolution, JBIG)
Memory Transmission/ Out-of-paper Reception	NA	NA	NA	Up to 400 pages (ITU-T Test Chart, Standard Resolution, JBIG)	Up to 500 pages (ITU-T Test Chart, Standard Resolution, JBIG)
Speed Dial Group Dial	NA NA	NA NA	NA NA	200 locations 20 groups	200 locations 20 groups
Broadcasting	NA NA	NA NA	NA NA	260 locations	250 locations
PC Faxing	NA	NA	NA	Receiving (Windows only) Sending (Windows, Linux) (LPR/CUPS PC-FAX Send Driver)	Receiving (Windows only) Sending (Windows, Linux) (LPR/CUPS PC-FAX Send Driver)
Connectivity/Networking	ng	Hi-Speed 2.0, Ethernet	Hi-Speed 2.0, Ethernet	Hi-Speed 2.0, Ethernet	Hi-Speed 2.0, Ethernet
Interface	Hi-Speed 2.0	(10 Base-T/100 Base-TX), Wi-Fi Direct, Wireless Lan (2.4GHz)			
Near-Field Connectivity (NFC)	NA	NA	NA	NA	Yes (Card Reader/NFC Shortcut)
Mobile Solutions , Brother's Cloud Apps, WebConnect	NA	AirPrint, Mopria, Mobile Connect			
Paper Handling Input Tray (Standard)	250 sheets	250 sheets	250 sheets	250 sheets	250 sheets
Manual Slot Output Tray (Face Down)	1 Sheet 120 Sheets	1 Sheet 120 Sheets	1 Sheet 120 Sheets	1 Sheet 120 Sheets	1 Sheet 120 Sheets
Automatic Document Feeder (ADF)	NA NA	NA NA	50 sheets	50 sheets	50 sheets
Media Weights (Standard Tray)	60 to 163g/m² (16 to 43lb)	60 to 163g/m² (16 to 43lb)	60 to 163g/m² (16 to 43lb)	60 to 163g/m² (16 to 43lb)	60 to 163g/m² (16 to 43lb)
Media Size (Standard Tray)	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*,	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*,	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*,	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*,	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*,
Others	A4 Short, Folio*, Mexico Legal*, India Legal*	A4 Short, Folio*, Mexico Legal*, India Legal*	A4 Short, Folio*, Mexico Legal*, India Legal*	A4 Short, Folio*, Mexico Legal*, India Legal*	A4 Short, Folio*, Mexico Legal*, India Legal
Processor Speed	600MHz	600MHz	600MHz	600MHz	600MHz
Memory Emulation	128MB NA	256MB PCL6, BR-Script3, PDF Version 1.7	256MB PCL6, BR-Script3, PDF Version 1.7	256MB PCL6, BR-Script3, PDF Version 1.7	256MB PCL6, BR-Script3, PDF Version 1.7
Display	2 Lines LCD (20 characters)	2 Lines LCD (16 characters)	2 Lines LCD (20 characters)	2 Lines LCD (20 characters)	2.7" TFT ColorLCD
OS Compatibility	Windows 10, 11 Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x84 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x64 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x84 environment)	Windows 10, 11, Server 2012 (Network only), Server 2012 R2 (Network only), Server 2016 (Network only), Server 2019 (Network only), Server 2022 (Network only) Linux: CUPS, LPD/LPRng (x86/x64 environment)
Utilities & Solutions	BRAdmin Pro4: Windows (by Download)	BRAdmin Light: Windows (by Download); BRAdmin Pro4: Windows (by Download)	BRAdmin Light: Windows (by Download); BRAdmin Pro4: Windows (by Download)	BRAdmin Light: Windows (by Download); BRAdmin Pro4: Windows (by Download)	BRAdmin Light: Windows (by Download); BRAdmin Pro4: Windows (by Download)
Security Features	NA	Network Security	Network Security	Setting Lock, Network Security	Setting Lock, Secure Function Lock, Network Security
Power Consumption (Printing/Printing with Quiet mode)	Approx. 470W/270W	Approx. 440/270W	Approx. 470W/270W	Approx. 470W/270W	Approx. 470W/270W
Power Source	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz	220-240V AC 50/60Hz
Noise Level (Printing/ Printing with Quiet mode) <sup>1</sup>	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)
Supplies	TN2500	TN2500	TN2500	TN2500	TN2500
Standard-Yield Toner <sup>ii</sup>	1,200 pages TN2500XL	1,200 pages TN2500XL	1,200 pages TN2500XL	1,200 pages TN2500XL	1,200 pages TN2500XL
High-Yield Toner <sup>ii</sup>	3,000 pages	3,000 pages	3,000 pages	3,000 pages TN2500XXL	3,000 pages
Super High-Yield Toner	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages	TN2500XXL 5,000 pages	5,000 pages	TN2500XXL 5,000 pages
Drum	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages
Dimension and Weight Dimension (W X D x H)	410 ×399 ×272 mm	410 ×399 ×272 mm	410 ×399 ×319 mm	410 ×399 ×319 mm	410 ×399 ×319 mm
Billionologic (11 11 B 11 1)					

i In accordance with ISO/IEC17991
ii In accordance with ISO7779
ii In accordance with ISO/IEC 19752
iv Information correct as at the time of publication and may change without prior notice.

	-	ACCRECATION AND ADDRESS.	ACCORDING TO SECOND
	7 7	-	-
		****	The same of the sa
		300	0.00
	HL-L2400D	HL-L2461DW	HL-L2460DN
Key Function	Print only	Print only	Print only
Print Speed (A4/Letter)	Up to 30/32 ppm	Up to 34/36 ppm	Up to 34/36 ppm
Print Resolution	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi	Up to 1,200 x 1,200 dpi
First Print Out Time (Ready)	Less than 8.5 secs	Less than 8.5 secs	Less than 8.5 secs
2-sided Feature	Yes	Yes	Yes
Connectivity/Networking			
		Hi-Speed 2.0, Wi-Fi Direct,	Hi-Speed 2.0, Ethernet
Interface	Hi-Speed 2.0	Wireless Lan (2.4GHz)	(10 Base-T/100 Base-TX)
Malaila Oakainaa	NIA	` ′	<u> </u>
Mobile Solutions  Paper Handling	NA	AirPrint, Mopria, Mobile Connect	AirPrint, Mopria, Mobile Connect
Input Tray (Standard)	250 sheets	250 sheets	250 sheets
Manual Feed Slot	1 Sheet	1 Sheet	1 Sheet
Output Tray (Face Down)	150 Sheets	150 Sheets	150 Sheets
Media Weights	60 to 163g/m²	60 to 163g/m²	60 to 163g/m²
(Standard Tray)	(16 to 43lb)	(16 to 43lb)	(16 to 43lb)
	A4 Letter DE (110) DE(100) A5 A5 (Leng	A4 Latter DE (110) DE (100) A5 A5 (Lang	A4 Letter DE (IIO) DE (IOO) A5 A5 /Leng
Media Size	A4, Letter, B5 (JIS), B5(ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short,	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6 (JIS), A6, Executive, Legal*, A4 Short,	A4, Letter, B5 (JIS), B5 (ISO), A5, A5 (Long Edge), B6(JIS), A6, Executive, Legal*, A4 Short,
(Standard Tray)	Folio*, Mexico Legal*, India Legal*	Folio*, Mexico Legal*, India Legal*	Folio*, Mexico Legal*, India Legal*
Others			
Processor Speed	600MHz	600MHz	600MHz
Memory	64MB	64MB	128MB
Emulation	NA	NA	PCL6
Display	LED	1 Line LCD (16 characters)	1 Line LCD (16 characters)
	Window 10, 11	Windows 10, 11, Server 2012, Server 2012 R2,	Windows 10, 11, Server 2012, Server 2012 R2,
OS Compatibility	Linux: CUPS, LPD/LPRng	Server 2016, Server 2019, Server2022	Server 2016, Server 2019, Server2022
	(x86/x64 environment)	Linux: CUPS, LPD/LPRng (x86/x64 environment)	Linux: CUPS, LPD/LPRng (x86/x64 environment)
		BRAdmin Light: Windows (by Download);	BRAdmin Light: Windows (by Download);
Utilities & Solutions	BRAdmin Pro4: Windows (by Download)	BRAdmin Pro4: Windows (by Download)	BRAdmin Pro4: Windows (by Download)
Security Features	NA	Setting Lock, Network Security	Setting Lock, Network Security
Security reatures	INA .	Setting Lock, Network Security	Setting Lock, Network Security
Power Consumption			
(Printing/Printing with Quiet mode)	Approx. 440W/270W	Approx. 470W/270W	Approx. 470W/270W
mode)			
Power Source	220-240V	220-240V	220-240V
	AC 50/60Hz	AC 50/60Hz	AC 50/60Hz
Noise Level (Printing/	LpAm = 48 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)	LpAm = 49 dB(A)/44 dB(A)
Printing with Quiet mode)i		25 an = 10 dB( y/ 11 dB( y	_p
Supplies			
Standard-Yield Toner <sup>ii</sup>	TN2500	TN2500	TN2500
Gtaridard-frieid Toffer	1,200 pages	1,200 pages	1,200 pages
	TN2500XL	TN2500XL	TN2500XL
High-Yield Toner <sup>ii</sup>	3,000 pages	3,000 pages	3,000 pages
Super High-Yield Toner	TN2500XXL	TN2500XXL	TN2500XXL
Capor riight heid folier	5,000 pages	5,000 pages	5,000 pages
Drum	DR2500 15,000 pages	DR2500 15,000 pages	DR2500 15,000 pages
Dimension and Weight	10,000 pages	To,ooo pages	19,000 pages
Dimension (W X D x H)	356 ×360 ×183 mm	356 ×360 ×183 mm	356 ×360 ×183 mm
Weight	7.1kg	7.1kg	7.1kg
		9	

In accordance with ISO/IEC17991







Brother strongly recommends the use of genuine Brother consumable products only. Benefits include better quality print, greater yields per consumable, protection of your machine from damages and achievement of optimum performance. As a precaution, please note that your machine warranty may not cover any damages arising from the use of non-genuine consumables.

<sup>■</sup>In accordance with ISO/T779
■ In accordance with ISO/IEC 19752
■ Information correct as at the time of publication and may change without prior notice.